

ARCHITECTURAL COMMITTEE APPLICATION FOR EXTERIOR IMPROVEMENTS/CHANGES

Continued -- For office use only

NEIGHBORHOOD: Eaton Place

LOT #: 75

HOMEOWNER: Jeff Kirk

ADDRESS: 7342 Eaton Court

SUBMITTAL SUBJECT: Pave Driveway & Walkway - Color: Citystone Demi, Pattern: random, Sealed: yes

AC COMMENTS:

Dear Jeff Kirk:

Your recent submittal to the Architectural Committee was reviewed on 9/4/2020. The application is **Approved as submitted** with the following stipulations:

None.

AC Submissions to be delivered to:
The Architectural Committee

8301 The Park Boulevard University Park, FL 34201 Or by email to ac@upcai-fl.com



Issued in accordance with Article 12 of Declaration of Covenants, Conditions and Restrictions for University Park

Form Date:

February 8, 2017



ARCHITECTURAL COMMITTEE APPLICATION FOR INSTALLATION OF PAVER DRIVEWAY AND WALKWAY

In accordance with the Declaration of Covenants, Conditions and Restrictions for University Park, I hereby submit this request for consideration:


DATE: 8-25-20 NEIGHBORHOOD: Eaton HOMEOWNER: Jeff Kink ADDRESS: 7342 Eaton Court	REVIEW FEE: \$25.00 \ LOT #: 75 HOME BUILDER: TK Fowler GC Inc
PHONE #: 732 - 859 - 1771 FAX #	E-MAIL: jeff. Kirka Verizon.he
DESCRIBE PAVER AREA TO BE INSTALLED: (Please submit additional information to assist approval; i.e. paver samples, brochures, 3 photographs of area for installation) Drivery & Walk way Same pavers as 7309 Eaton for a Sample COLOR OF PAVERS (Please submit a sample paver brick): Lty Stane dem, (Flagstone Pavers INSTALLATION PATTERN: Tandown ARE PAVERS TO BE SEALED OR LEFT IN NATURAL STATE? Sealed	
AC COMMENTS: REVIEW FEE □ SAMPLES □	For Official Use Only








existing

















PRODUCT GUIDE



4" x 8" 8" x 8"

8" x 12"

Thickness: 30mm, 60mm





CITYSTONE™ Supra

Pedestrian use only



16" x 16" 16" x 24"

Thickness: 60mm



CITYSTONE™ Demi & Supra




8" x 12" | 16" x 24" Thickness: 60mm CityStone Demi & Supra in Cream / Beige, Random Pattern*









MATERIAL

Flagstone Pavers meet or exceed the ASTM C-936, standard specifications for solid interlocking concrete paving units. We have the best multi-color blending system in the market today. Our innovative full-color through process, creates the strongest possible product, while maintaining a smooth concrete surface. So you get the best of both worlds. All with an unsurpassed warranty.

DENSITY

Flagstone Pavers has developed a revolutionary color-through batch design that provides optimum strength and durability - without the problems often encountered in the veneer process offered by other manufacturers.

This innovative system eliminates separation between the surface and base material and stops premature wear.

CONSISTENCY

Flagstone Pavers' renowned batch design continues to set the standard for the industry.

While other paver manufacturers may also use the color-through process, many do not add sand and properly adjust their cement and color loadings, which can result in the color looking faded compared to Flagstone's products.

SERVICE

We are committed to providing outstanding service and exceptional on-time delivery.

With our architectural design guide, photo gallery, and sample boards, you'll find it easy to select the right paver solution for your project. And our comprehensive website puts all of our resources at your fingertips.

Cover Photo: Panorama Demi in Cream / Beige / Charcoal