

ARCHITECTURAL COMMITTEE
APPLICATION FOR EXTERIOR IMPROVEMENTS/CHANGES

Continued -- For office use only

NEIGHBORHOOD: Marlow

LOT #: 7

HOMEOWNER: James Freedman

ADDRESS: 7255 Marlow Place

SUBMITTAL SUBJECT: Replacing existing windows and sliding doors with impact glass windows and doors

AC COMMENTS:

Dear James Freedman:

Your recent submittal to the Architectural Committee was reviewed on 2/7/2020. The application is **Approved as Submitted** with the following stipulations:

None

AC Submissions to be delivered to:
The Architectural Committee

8301 The Park Boulevard
University Park, FL 34201
Or by email to ac@upcai-fl.com

For Official Use Only

UPCAI
Architectural Committee

Submission reviewed

on

2/7/2020

APPROVED

Issued in accordance with Article 12 of
Declaration of Covenants, Conditions and
Restrictions for University Park

Form Date: February 8, 2017



**ARCHITECTURAL COMMITTEE
APPLICATION FOR EXTERIOR IMPROVEMENTS/CHANGES
SINGLE FAMILY HOMES**

In accordance with the Declaration of Covenants, Conditions and Restrictions for University Park, I hereby submit this request for consideration:

DATE: January 30, 2020 REVIEW FEE: \$ 25⁰⁰
NEIGHBORHOOD: Marlow LOT #: 7
HOMEOWNER: Freedman HOME BUILDER: Todd Johnson
ADDRESS: 7255 Marlow Place
PHONE #: 781-249-3806 E-MAIL: jimbfree1@gmail.com

Every submission **MUST** include the following: **3 PHOTOS** taken from different angles showing existing areas where the work is proposed. These can be submitted as hard copies or emailed to ac@upcai-fl.com. **REVIEW FEE** (see below for details). For landscape changes a **PLAN** or **SKETCH** of the proposed work is required. For **REPAINTING** a **full height sample** of the body color must be applied to the front of the home together with trim colors and be visible from the street. Brochures or sample materials will facilitate approval. **All Applicants should review the AC CRITERIA sheets on the website www.upcai-fl.com**

Requested Work:

Replace existing windows & sliding doors
with impact windows & doors

Schedule of Fees – January 1, 2018

Each application must include a check in the amount of the appropriate fee, made payable to UPCA. If you are unsure as to the applicable amount, please contact the Committee at ac@upcai-fl.com for information. The following schedule of review fees is issued as a guide. Each submittal is reviewed and assessed independently (*additional fees may apply*). The review fee is subject to change and the schedule updated.

New Home Submittals (<i>fee dependent on neighborhood</i>)	\$750.00 - \$1,200.00
Application to Rebuild a Home in Entirety or Substantially (<i>fee dependent on neighborhood</i>)	\$750.00 - \$1,200.00
Application for Major Remodeling or Home Extensions (<i>2nd story bonus rooms or adding rooms</i>)	\$300.00-\$500.00
Application for Structural Additions (<i>extending garages, adding pool and deck changes</i>)	\$150.00

Application to install following items: Satellite/Antenna/Dish, Invisible Dog Fence, Coach Lights, Geothermal or Heat Pump Installation; External Generator; Hurricane Shutters; Solar Panels for pool or home, Solar Film to Windows; Repaint House and/or Accent Colors (*doors, shutters, etc*); Screen, Enclose or Extend Lanai; Hardscape Additions (*fountains, statuary, landscape lighting, dog runs, etc.*); Changes to Landscape Plan or Lake Bank Retaining Walls or Stabilizing Treatment and all other applications

\$25.00





QUOTE

ShipTo: CLEARVIEW WINDOWS & DOORS INC	
Account#: A01225	
3281 81ST COURT E BRADENTON, FL 34211-8412 Phone# Fax# (941) 746-9846	01023101

Last Modified Date: 01/30/2020 12:16:52
PO#:
Job Name: Freedman/ ad 10 windows
Job Address: 7255 Marlow Place Bradenton, FL
Quote # 6051022
Ship Date:
Sales Person: Rick Collins

Customer RETAIL-A	
Account #	
,	
Phone#	Fax#

Line #	Item Description	Quantity	Line Pricing		
0001 (1.00)	SGD5570 VINYL SGD SERIES 5570	Ordered: 1.00		<u>Sell Price</u> \$2,496.22	<u>Ext Price</u> \$2,496.22
Configuration: 59.75X95.75,BYPASS,2P2T,XX,STD,2.5,W,1 1/16 TLIG,CLEAR,ES Max,NO GRID,ALL					
	Send Unit: COMPLETE Door Configuration: BYPASS Panel Configuration: XX Size Selection: CUSTOM Height: 95.7500 Calc Track Length: 59.7500 Glass Makeup: LIT307AS7 Glass Family: LI - Laminated Insulating Glass Color: CL - CLEAR Argon Gas: NONE Interlayer Type: PVB090 Add HD Stile for DP Upgrade: N Screen Panel Type: NONE Screen Rail Integrated: N Handle Color: W - White Secondary Lock Type: NONE Keyed Alike: N Anchor Group: C.SGD5570 Boxing Options: N - None Acc Glass Breakage: N PositiveDesignPressure: 38.7000 PANumber: 21179.0000 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.2000 VTCOG: 0.6200		Certification Type: AAMAA440 Pnl/Trk: 2 Panel / 2 Track Panel Stack: STD Width: 59.7500 Actual Size: 59 3/4 X 95 3/4 Frame Color: W - White Glass: 1-1/16" LIG (3/16 TMP-7/16AIR-7/16 AN/HS Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Type: NONE - NO Grid Sill Riser Height: 2.5000 Send Screen Frame with Unit: N Handle Type: RAISED/RAISED Lock/Handle Location: STD Key Lock: N Panel Opr Rlr: STEELTM Steel Tandem Send frm w/snap on Nail Fin: N Max Energy/Composite Reinf: N CAR#: 190-263/770 NegativeDesignPressure: 60.0000 EnergyStar: NONE UF: 0.3500 VT: 0.4200		
	Location: Office		Notes:		
0002 (2.00)	SGD5570 VINYL SGD SERIES 5570	Ordered: 1.00		<u>Sell Price</u> \$2,777.17	<u>Ext Price</u> \$2,777.17
Configuration: 71.75X95.75,BYPASS,2P2T,XX,STD,2.5,W,1 1/16 TLIG,CLEAR,ES Max,NO GRID,ALL					

	Send Unit: COMPLETE Door Configuration: BYPASS Panel Configuration: XX Size Selection: CUSTOM Height: 95.7500 Calc Track Length: 71.7500 Glass Makeup: LIT307AS7 Glass Family: LI - Laminated Insulating Glass Color: CL - CLEAR Argon Gas: NONE Interlayer Type: PVB090 Add HD Stile for DP Upgrade: N Screen Panel Type: NONE Screen Rail Integrated: N Handle Color: W - White Secondary Lock Type: NONE Keyed Alike: N Anchor Group: C.SGD5570 Boxing Options: N - None Acc Glass Breakage: N PositiveDesignPressure: 38.7000 PANumber: 21179.0000 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.2000 VTCOG: 0.6200	Certification Type: AAMAA440 Pnl/Trk: 2 Panel / 2 Track Panel Stack: STD Width: 71.7500 Actual Size: 71 3/4 X 95 3/4 Frame Color: W - White Glass: 1-1/16" LIG (3/16 TMP-7/16AIR-7/16 AN/HS Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Type: NONE - NO Grid Sill Riser Height: 2.5000 Send Screen Frame with Unit: N Handle Type: RAISED/RAISED Lock/Handle Location: STD Key Lock: N Panel Opr Rlr: STEELTM Steel Tandem Send frm w/snap on Nail Fin: N Max Energy/Composite Reinf: N CAR#: 190-263/770 NegativeDesignPressure: 60.0000 EnergyStar: NONE UF: 0.3500 VT: 0.4200
---	--	--


Location: kitchen	Notes:
--------------------------	---------------

0003 (3.00)	SGD5570 VINYL SGD SERIES 5570	Ordered: 1.00		<u>Sell Price</u> \$5,520.24	<u>Ext Price</u> \$5,520.24
	Configuration: 140.25X95.75,POCKET,PL,EXTERIOR,3P3T,XXX,STDPOCKET,2.5,W,1 1/16 TLIG,CLEAR,ES Max,NO GRID,ALL				

	Send Unit: COMPLETE NOA Selection: 17-0420.06 Unit Configuration: PL Panel Configuration: XXX Send an Extra Jamb: NONE Size Selection: CUSTOM Height: 95.7500 Calc Track Length: 197.9960 Glass Makeup: LIT307SS7S Glass Family: LI - Laminated Insulating Glass Color: CL - CLEAR Argon Gas: NONE Interlayer Type: SGP090 Add HD Stile for DP Upgrade: N Screen Panel Type: NONE Screen Rail Integrated: N Handle Color: W - White Secondary Lock Type: NONE Keyed Alike: N Anchor Group: C.SGD5570 Boxing Options: N - None Acc Glass Breakage: N PositiveDesignPressure: 38.7000 PANumber: FL-251 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.2000 VTCOG: 0.6100	Certification Type: MIAMI Door Configuration: POCKET Pnl/Trk: 3 Panel / 3 Track Panel Stack: STDPOCKET Pocket Configuration: EXTERIOR Width: 140.2500 Actual Size: 140 1/4 X 95 3/4 Frame Color: W - White Glass: 1-1/16" LIG (3/16 TMP-7/16AIR-7/16 HS/HS Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Type: NONE - NO Grid Sill Riser Height: 2.5000 Send Screen Frame with Unit: N Handle Type: RAISED/RAISED Lock/Handle Location: STD Key Lock: N Panel Opr Rlr: STEELTM Steel Tandem Send frm w/snap on Nail Fin: N Max Energy/Composite Reinf: N CAR#: 17-0420.06 NegativeDesignPressure: 80.0000 EnergyStar: NONE UF: 0.3500 VT: 0.4200
---	--	--

Location: living room	Notes:
------------------------------	---------------

0004 (4.00)	SGD5570 VINYL SGD SERIES 5570	Ordered: 1.00		<u>Sell Price</u> \$2,777.17	<u>Ext Price</u> \$2,777.17
	Configuration: 71.75X95.75,BYPASS,2P2T,XX,STD,2.5,W,1 1/16 TLIG,CLEAR,ES Max,NO GRID,ALL				

	Send Unit: COMPLETE Door Configuration: BYPASS Panel Configuration: XX Size Selection: CUSTOM Height: 95.7500 Calc Track Length: 71.7500 Glass Makeup: LIT307AS7 Glass Family: LI - Laminated Insulating Glass Color: CL - CLEAR Argon Gas: NONE Interlayer Type: PVB090 Add HD Stile for DP Upgrade: N Screen Panel Type: NONE Screen Rail Integrated: N Handle Color: W - White Secondary Lock Type: NONE Keyed Alike: N Anchor Group: C.SGD5570 Boxing Options: N - None Acc Glass Breakage: N PositiveDesignPressure: 38.7000 PANumber: 21179.0000 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.2000 VTCOG: 0.6200	Certification Type: AAMAA440 Pnl/Trk: 2 Panel / 2 Track Panel Stack: STD Width: 71.7500 Actual Size: 71 3/4 X 95 3/4 Frame Color: W - White Glass: 1-1/16" LIG (3/16 TMP-7/16AIR-7/16 AN/HS Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Type: NONE - NO Grid Sill Riser Height: 2.5000 Send Screen Frame with Unit: N Handle Type: RAISED/RAISED Lock/Handle Location: STD Key Lock: N Panel Opr Rlr: STEELTM Steel Tandem Send frm w/snap on Nail Fin: N Max Energy/Composite Reinf: N CAR#: 190-263/770 NegativeDesignPressure: 60.0000 EnergyStar: NONE UF: 0.3500 VT: 0.4200
---	--	--

Location: master suite **Notes:** Option

0005 (5.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 2.00		<u>Sell Price</u> \$792.34	<u>Ext Price</u> \$1,584.68
------------------------------	--------------------------------------	-------------------------	--	--------------------------------------	---------------------------------------


Configuration: 35.75X74.75X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,NO GRID,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL

	Certification Type: AAMAA440 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 35 3/4 Actual Size: 35 3/4 X 74 3/4 Wood Frame Opening: 36 X 75 Frame Color: W - White Glass Family: LI - Laminated Insulating Glass Makeup: LIA207AA5 Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Reinf. Upgrade: NONE - None Screen Frame Type: ROLLFORM WOCD: N Upgrade Hardware Finish: N Lift Rail: N Boxing Options: N - None Vent Ht: 37.0180 PositiveDesignPressure: 50.0000 PANumber: FL 1435 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.2200 VTCOG: 0.6300	Frame Type: .625FLANGE Window Style: STD Size Ref: ACTUAL Height: 74 3/4 Rough Masonry: 37 1/2 X 75 3/4 Egress Opening: 31 1/2 X 27 (5.8996 SQFT) Balance Type: CONSTANT Interlayer Type: PVB090 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: NONE Grid Type: NONE - NO Grid Screen Type: 1816K - 1816 Charcoal Vent Latch: N Lock Type: SWEEP - Sweep Latch Comfort Lift: Y Lock Quantity: 2.0000 Acc Glass Breakage: N CAR#: 190-285/1028 NegativeDesignPressure: 50.0000 EnergyStar: 1.0000 UF: 0.3200 VT: 0.4800
---	---	--

Location: dinette **Notes:**

0006 (6.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00		<u>Sell Price</u> \$1,164.53	<u>Ext Price</u> \$1,164.53
------------------------------	--------------------------------------	-------------------------	--	--	---------------------------------------

Configuration: 51.75X74.75X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,NO GRID,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL



Certification Type: AAMAA440
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 51 3/4
 Actual Size: 51 3/4 X 74 3/4
 Wood Frame Opening: 52 X 75
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Vent Ht: 37.0180
 PositiveDesignPressure: 50.0000
 PANumber: FL 1435
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.2200
 VTCOG: 0.6300


Frame Type: .625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 74 3/4
 Rough Masonry: 53 1/2 X 75 3/4
 Egress Opening: 47 1/2 X 27 (8.8963 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: NONE - NO Grid
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 CAR#: 190-285/1028
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4800

Location: dinette

Notes:

0007 (7.00)	HR5510 VINYL HORIZONTAL ROLLER 5510	Ordered: 1.00	<u>Sell Price</u> \$1,197.52	<u>Ext Price</u> \$1,197.52
----------------	-------------------------------------	------------------	---------------------------------	--------------------------------

Configuration: 70.75X58.5,5/8" FL,W,7/8 LIG,CL,ES Max,NO GRID,XO,EQUAL,1816K-INSTALLED,SWEEP



Certification Type: AAMAA440
 Unit Configuration: XO
 Size Selection: CUSTOM
 Width: 70 3/4
 Actual Size: 70 3/4 X 58 1/2
 Wood Frame Opening: 71 X 58 3/4
 Frame Color: W - White
 Glass Type: 1/8" - 5/16"
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 Window Opening Control Device: N
 Upgrade Hardware Finish: N
 Acc Glass Breakage: N
 PositiveDesignPressure: 50.0000
 PANumber: FL1844
 CondensationResistance: 56.0000
 SolarHeatGainCoeff: 0.2100
 VTCOG: 0.6300


Frame Type: .625FLANGE
 Vent Configuration: EQUAL
 Size Ref: ACTUAL
 Height: 58 1/2
 Rough Masonry Opening: 72 1/2 X 59 1/2
 Egress Opening: 30 7/16 X 53 9/16 SQFT 11.3083
 Glass Family: LI - Laminated Insulating
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: NONE - NO Grid
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Boxing Options: N - None
 CAR#: 190-292/1048
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3300
 VT: 0.4700

Location: den

Notes:

0008 (8.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00	<u>Sell Price</u> \$1,164.53	<u>Ext Price</u> \$1,164.53
----------------	-------------------------------	------------------	---------------------------------	--------------------------------

Configuration: 51.75X74.75X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,NO GRID,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL



Certification Type: AAMAA440
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 51 3/4
 Actual Size: 51 3/4 X 74 3/4
 Wood Frame Opening: 52 X 75
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Vent Ht: 37.0180
 PositiveDesignPressure: 50.0000
 PANumber: FL 1435
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.2200
 VTCOG: 0.6300

Frame Type: .625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 74 3/4
 Rough Masonry: 53 1/2 X 75 3/4
 Egress Opening: 47 1/2 X 27 (8.8963 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: NONE - NO Grid
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 CAR#: 190-285/1028
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4800

Location: master suite

Notes:

0009 (9.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00	Sell Price \$1,164.53	Ext Price \$1,164.53
Configuration: 51.75X74.75X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,3V1H/3V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL				


Certification Type: AAMAA440
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 51 3/4
 Actual Size: 51 3/4 X 74 3/4
 Wood Frame Opening: 52 X 75
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Grid Style: STD
 Summary Top: 4A2D LITES (3V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Decralite: N
 CAR#: 190-285/1028
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

Frame Type: .625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 74 3/4
 Rough Masonry: 53 1/2 X 75 3/4
 Egress Opening: 47 1/2 X 27 (8.8963 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 4A2D LITES (3V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 Vent Ht: 37.0180
 PositiveDesignPressure: 50.0000
 PANumber: FL 1435
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

Location: guest bed #1

Notes: option

0010 (10.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00	Sell Price \$923.54	Ext Price \$923.54
Configuration: 51.75X61.5X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,NO GRID,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL				




Certification Type: AAMAA440
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 51 3/4
 Actual Size: 51 3/4 X 61 1/2
 Wood Frame Opening: 52 X 61 3/4
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Vent Ht: 30.3930
 PositiveDesignPressure: 50.0000
 PANumber: FL 1435
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.2200
 VTCOG: 0.6300

Frame Type: .625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 61 1/2
 Rough Masonry: 53 1/2 X 62 1/2
 Egress Opening: 47 1/2 X 26 1/8 (8.6077 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: NONE - NO Grid
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 CAR#: 190-285/1028
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4800

Location: guest bedroom #2

Notes: option

0011 (11.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00	<u>Sell Price</u> \$1,198.83	<u>Ext Price</u> \$1,198.83
Configuration: 51.75X74.75X.,STD,1-3/8" NAIL FIN,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,3V1H/3V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL				



Certification Type: AAMAA440
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 51 3/4
 Actual Size: 51 3/4 X 74 3/4
 Wood Frame Opening: 52 X 75
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Grid Style: STD
 Summary Top: 4A2D LITES (3V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Decralite: N
 Prep for Mull: N
 PositiveDesignPressure: 50.0000
 PANumber: FL 1435
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

Frame Type: 1.375FIN
 Window Style: STD
 Size Ref: ACTUAL
 Height: 74 3/4
 Rough Masonry: 53 1/2 X 75 3/4
 Egress Opening: 47 1/2 X 27 (8.8963 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 4A2D LITES (3V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 Vent Ht: 37.0180
 CAR#: 190-285/1028
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

Location: dining room


Notes: nail fin option

0012 (12.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 2.00	<u>Sell Price</u> \$620.82	<u>Ext Price</u> \$1,241.64
Configuration: 25.375X74.75X.,STD,1-3/8" NAIL FIN,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,1V1H/1V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL				

	Certification Type: AAMAA440 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 25 3/8 Actual Size: 25 3/8 X 74 3/4 Wood Frame Opening: 25 5/8 X 75 Frame Color: W - White Glass Family: LI - Laminated Insulating Glass Makeup: LIA207AA5 Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Style: STD Summary Top: 2A2D LITES (1V1H BARS) Reinf. Upgrade: NONE - None Screen Frame Type: ROLLFORM WOCD: N Upgrade Hardware Finish: N Lift Rail: N Boxing Options: N - None Decralite: N Prep for Mull: N PositiveDesignPressure: 50.0000 PANumber: FL 1435 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.1900 VTCOG: 0.6300	Frame Type: 1.375FIN Window Style: STD Size Ref: ACTUAL Height: 74 3/4 Rough Masonry: 27 1/8 X 75 3/4 Egress Opening: 21 1/8 X 27 (3.9565 SQFT) Balance Type: CONSTANT Interlayer Type: PVB090 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: NONE Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN Grid Location: UNIT Summary Bottom: 2A2D LITES (1V1H BARS) Screen Type: 1816K - 1816 Charcoal Vent Latch: N Lock Type: SWEEP - Sweep Latch Comfort Lift: Y Lock Quantity: 2.0000 Acc Glass Breakage: N Vent Ht: 37.0180 CAR#: 190-285/1028 NegativeDesignPressure: 50.0000 EnergyStar: 1.0000 UF: 0.3200 VT: 0.4300
--	---	--

Location: dining room	Notes: nail fin option
------------------------------	-------------------------------

0013 (13.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00		<u>Sell Price</u> \$1,198.83	<u>Ext Price</u> \$1,198.83
Configuration: 51.75X74.75X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,3V1H/3V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL					

	Certification Type: AAMAA440 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 51 3/4 Actual Size: 51 3/4 X 74 3/4 Wood Frame Opening: 52 X 75 Frame Color: W - White Glass Family: LI - Laminated Insulating Glass Makeup: LIA207AA5 Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Style: STD Summary Top: 4A2D LITES (3V1H BARS) Reinf. Upgrade: NONE - None Screen Frame Type: ROLLFORM WOCD: N Upgrade Hardware Finish: N Lift Rail: N Boxing Options: N - None Decralite: N CAR#: 190-285/1028 NegativeDesignPressure: 50.0000 EnergyStar: 1.0000 UF: 0.3200 VT: 0.4300	Frame Type: .625FLANGE Window Style: STD Size Ref: ACTUAL Height: 74 3/4 Rough Masonry: 53 1/2 X 75 3/4 Egress Opening: 47 1/2 X 27 (8.8963 SQFT) Balance Type: CONSTANT Interlayer Type: PVB090 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: NONE Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN Grid Location: UNIT Summary Bottom: 4A2D LITES (3V1H BARS) Screen Type: 1816K - 1816 Charcoal Vent Latch: N Lock Type: SWEEP - Sweep Latch Comfort Lift: Y Lock Quantity: 2.0000 Acc Glass Breakage: N Vent Ht: 37.0180 PositiveDesignPressure: 50.0000 PANumber: FL 1435 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.1900 VTCOG: 0.6300
---	--	---

Location: office	Notes: option
-------------------------	----------------------

0014 (14.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00		<u>Sell Price</u> \$620.82	<u>Ext Price</u> \$620.82
Configuration: 25.375X74.75X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,1V1H/1V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL					

	Certification Type: AAMAA440 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 25 3/8 Actual Size: 25 3/8 X 74 3/4 Wood Frame Opening: 25 5/8 X 75 Frame Color: W - White Glass Family: LI - Laminated Insulating Glass Makeup: LIA207AA5 Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Style: STD Summary Top: 2A2D LITES (1V1H BARS) Reinf. Upgrade: NONE - None Screen Frame Type: ROLLFORM WOCD: N Upgrade Hardware Finish: N Lift Rail: N Boxing Options: N - None Decralite: N CAR#: 190-285/1028 NegativeDesignPressure: 50.0000 EnergyStar: 1.0000 UF: 0.3200 VT: 0.4300	Frame Type: .625FLANGE Window Style: STD Size Ref: ACTUAL Height: 74 3/4 Rough Masonry: 27 1/8 X 75 3/4 Egress Opening: 21 1/8 X 27 (3.9565 SQFT) Balance Type: CONSTANT Interlayer Type: PVB090 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: NONE Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN Grid Location: UNIT Summary Bottom: 2A2D LITES (1V1H BARS) Screen Type: 1816K - 1816 Charcoal Vent Latch: N Lock Type: SWEEP - Sweep Latch Comfort Lift: Y Lock Quantity: 2.0000 Acc Glass Breakage: N Vent Ht: 37.0180 PositiveDesignPressure: 50.0000 PANumber: FL 1435 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.1900 VTCOG: 0.6300
--	--	---


Location: office	Notes: option
-------------------------	----------------------

0015 (15.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 2.00		<u>Sell Price</u> \$957.84	<u>Ext Price</u> \$1,915.68
	Configuration: 51.75X61.75X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,3V1H/3V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL				

	Certification Type: AAMAA440 Vent Configuration: EQUAL Size Selection: CUSTOM Width: 51 3/4 Actual Size: 51 3/4 X 61 3/4 Wood Frame Opening: 52 X 62 Frame Color: W - White Glass Family: LI - Laminated Insulating Glass Makeup: LIA207AA5 Does unit need to meet Turtle Code: NO Low E: ENERGY SHIELD MAX Privacy Glass: NONE - NONE Grid Style: STD Summary Top: 4A2D LITES (3V1H BARS) Reinf. Upgrade: NONE - None Screen Frame Type: ROLLFORM WOCD: N Upgrade Hardware Finish: N Lift Rail: N Boxing Options: N - None Decralite: N CAR#: 190-285/1028 NegativeDesignPressure: 50.0000 EnergyStar: 1.0000 UF: 0.3200 VT: 0.4300	Frame Type: .625FLANGE Window Style: STD Size Ref: ACTUAL Height: 61 3/4 Rough Masonry: 53 1/2 X 62 3/4 Egress Opening: 47 1/2 X 26 1/4 (8.6489 SQFT) Balance Type: CONSTANT Interlayer Type: PVB090 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN Glass Color: CL - CLEAR Argon Gas: NONE Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN Grid Location: UNIT Summary Bottom: 4A2D LITES (3V1H BARS) Screen Type: 1816K - 1816 Charcoal Vent Latch: N Lock Type: SWEEP - Sweep Latch Comfort Lift: Y Lock Quantity: 2.0000 Acc Glass Breakage: N Vent Ht: 30.5180 PositiveDesignPressure: 50.0000 PANumber: FL 1435 CondensationResistance: 55.0000 SolarHeatGainCoeff: 0.1900 VTCOG: 0.6300
--	--	---

Location: garage	Notes: option
-------------------------	----------------------

0016 (16.00)	SH5500 VINYL SINGLE HUNG 5500	Ordered: 1.00		<u>Sell Price</u> \$1,198.83	<u>Ext Price</u> \$1,198.83
	Configuration: 51.75X73.25X.,STD,5/8" FL,W,EQUAL,7/8 LIG,CL,ES Max,9/16" GBG,3V1H/3V1H,DBL,SWEEP,1816K-INSTALLED,CMFRT LFT HNDL				



Certification Type: AAMAA440
 Vent Configuration: EQUAL
 Size Selection: CUSTOM
 Width: 51 3/4
 Actual Size: 51 3/4 X 73 1/4
 Wood Frame Opening: 52 X 73 1/2
 Frame Color: W - White
 Glass Family: LI - Laminated Insulating
 Glass Makeup: LIA207AA5
 Does unit need to meet Turtle Code: NO
 Low E: ENERGY SHIELD MAX
 Privacy Glass: NONE - NONE
 Grid Style: STD
 Summary Top: 4A2D LITES (3V1H BARS)
 Reinf. Upgrade: NONE - None
 Screen Frame Type: ROLLFORM
 WOCD: N
 Upgrade Hardware Finish: N
 Lift Rail: N
 Boxing Options: N - None
 Decralite: N
 CAR#: 190-285/1028
 NegativeDesignPressure: 50.0000
 EnergyStar: 1.0000
 UF: 0.3200
 VT: 0.4300

Frame Type: .625FLANGE
 Window Style: STD
 Size Ref: ACTUAL
 Height: 73 1/4
 Rough Masonry: 53 1/2 X 74 1/4
 Egress Opening: 47 1/2 X 28 1/2 (9.3911 SQFT)
 Balance Type: CONSTANT
 Interlayer Type: PVB090
 Glass: 7/8" LIG (1/8 AN - 7/16 AIR -5/16 AN/AN
 Glass Color: CL - CLEAR
 Argon Gas: NONE
 Grid Type: GBGF0563 - 9/16" Flat GridBETWEEN
 Grid Location: UNIT
 Summary Bottom: 4A2D LITES (3V1H BARS)
 Screen Type: 1816K - 1816 Charcoal
 Vent Latch: N
 Lock Type: SWEEP - Sweep Latch
 Comfort Lift: Y
 Lock Quantity: 2.0000
 Acc Glass Breakage: N
 Vent Ht: 36.2680
 PositiveDesignPressure: 50.0000
 PANumber: FL 1435
 CondensationResistance: 55.0000
 SolarHeatGainCoeff: 0.1900
 VTCOG: 0.6300

Location: master bath		Notes: option			
0017 (1.00)	LABOR INSTALLATION	Ordered: 1.00		<u>Sell Price</u> \$8,100.00	<u>Ext Price</u> \$8,100.00
	Configuration:				
Location:		Notes:			
0018 (2.00)	PERMITS PERMITS	Ordered: 1.00		<u>Sell Price</u> \$350.00	<u>Ext Price</u> \$350.00
	Configuration:				
Location:		Notes:			
0019 (3.00)	Misc Misc	Ordered: 1.00		<u>Sell Price</u> \$400.00	<u>Ext Price</u> \$400.00
	Configuration:				
Location:		Notes: CUT TILE BACK AND DRYWALL			

<u>Products Ordered</u>	<u>Total Quantity</u>
SGD5570	4
SH5500	14
HR5510	1
LABOR	1
PERMITS	1
Misc	1

TOTAL SALE AMT:	\$36,994.76
TOTAL CUSTOMER	\$1,970.13

Quote # 6051022
 Print Date 1/30/2020
 Page 9 of 10

TAX:	
NET SALE AMOUNT:	\$38,964.89

* This proposal is valid for 30 days from original quote date, unless otherwise specified.

*50% down deposit required \$_____

*40% due upon delivery and/or installation of products \$_____

*Balance due upon final inspection \$_____.

*3% additonal charge for credit card purchases.

*PAINT AND /OR STAIN NOT INCLUDED IN THIS PROPOSAL.

*ALL PAINTING WILL BE DONE BY OTHERS.

CLEARVIEW WINDOWS & DOORS BID APPROVAL

*Installation optional & will be a specific line item

Lifetime Warranty On Material, 2 Years On Labor

*This warranty shall be null and void if the frame and/or sash member are painted or coated in any way; or if any other "aftermarket" products, such as window film are applied.

*Any damage done by Clearview Windows & Doors will be put back to its original setting (No Painting)

*All old material and debris related to our work will be disposed of and is responsibility of Clearview Windows & Doors

CUSTOMER SIGNATURE REQUIRED ON THIS QUOTE CONFIRMATION BEFORE BEING CONVERTED INTO AN ORDER.

THESE ITEMS ARE NOT SUBJECT TO CANCELLATION ONCE THE ORDER HAS BEEN PLACED WITH THE MANUFACTURER.

Please sign & fax back to 941/746-9846

ACCEPTED BY:

DATE:















